





MARJAN مرجان

تجارة اجهزة القياس والتحكم ذ.م.م.
INSTRUMENTATION & CALIBRATION SERVICES TRADING L.L.C.



ص.ب.: ١٣٣١٢٦، مصرف ٢٦، أبوظبي - أ.ع.م.، تلفون: ٠٢-٥٥٠٧١١٧، ٠٢-٥٥٠٢٣١٦، فاكس: ٠٢-٥٥٠٧١٢٧
P.O.Box: 133126, Mussafah 26, Abu Dhabi - U.A.E., Tel.: 02- 5507117, 02 - 5502316, Fax: 02 - 5507127
البريد الإلكتروني: sales@marjanicstr.ae

Marjan Instrumentation & Calibration Services Trading L.L.C. is well-established company based in Mussafah, Abu Dhabi. We Started in 2010 serving oilfield and construction sector. Our range of product covers industrial, oilfield instrumentation, Mechanical, Chilled water, firefighting sectors and other segments. We have excellent system of sourcing customer needs from a global data base of quality Suppliers. We have technical staff for providing necessary assistance to customers with proper selection and application of the product during project stage and to provide an effective sales service where ever necessary.

Our Vision

Keeping our name synonymous with reliability, customer satisfaction and innovation.



S.S Ball Valve 3PC Body Design
1000WOG F/B CR8M
from 1/4" to 4" NPT,
BSPT, BW & SW



Brass Ball Value 600WOG
from 1/4 & 4" NPT & BSPT



Bronze Ball Valve 600WOG
from 1/4" to 2" NPT



S.S Ball Valve XDS 800WOG
from 1/4 to 4" NPT & BSPT




S.S Ball Valve 2PC Body Design
1000WOG F/B CF8M
from 1/4 to 4" NPT & BSPT



S.S Strainer CL 200/800
from 1/2 to 2"



Automatic Air Vent



PRV & SRV



Hammer Union



COMPRESSION FITTINGS



BRASS COMPRESSION FITTINGS



GROOVED FITTINGS

FLEXIBLE CONNECTOR



MANIFOLD VALVES & PRESSURE GAUGES




COPPER FITTINGS



UNIVERSAL CLAMPS & TUBE CLAMPS

FOOT VALVES & WATER METER Straub Coupling



GALVANIZED/ MALLEABLE IRON FITTINGS




GASKETS



Bronze Gate valve Undrilled f/t from 1/2 to 4"



S.S Ball Valve, PN16, CL 150 F/T CF8M form 1/2 to 10"



S.S. & M.S. Forged Steel Gate Valve from 1/2to 2" SW&NPT



C.I. Gate Valve Resilient Sealing PN16 F/T from 1"to24"



C.S Globe Valve WCB 234 CL150, CL300 F/T from 1/2 to 12"



C.I/CS Strainer CL 150/PN16 from 1.1/2 to 8"



C.I Swing Check Valve PN16 F/T from 1" to 12"



S.S Strainer CL 150/PN16 from 1.1/2 to 8"



C.I Dual check Valve PN16 from 1.1/2" to 16"



S.S. Wafer Type Check Valve CL150 from 1/2" to 12"



S.S. & M.S Forged Steel Check Valve from 1/2 to 2" NPT & SW

Our Range of Products




CARBON STEEL PIPE (CS)

SEAMLESS (SMLS)

Size : 1/4" to 12"
Thickness : SCH40, SCH80
Specs : API5L, API5L-X42, SA 106B, ASTM A53
Origin : Ukraine, Japan, China

WELDED (ERW)

Size : 1/4" to 8"
Thickness : SCH40
Specs : ASTM A53
Origin : UAE, Oman, China



STAINLESS STEEL PIPE (SS)

SEAMLESS (SMLS / ERW)

Size : 1/4" to 8"
Thickness : SCH 10/40/80
Specs : 304/L & 316/L (F), ASTM A554
Origin : Japan, China



COPPER TUBE & PIPE

Size : 1/2" to 6"
Thickness : SCH 10/40/80
Specs : 304/L & 316/L (F)
Origin : Taiwan



GALVANIZED IRON PIPE (GI)

SEAMLESS (SMLS)

Size : 1/2" to 6"
Thickness : SCH 40
Specs : API 5L / ASTM A53 (BS-1387)
Origin : India, China

WELDED (ERW)

Size : 1/2" to 6"
Thickness : SCH 40
Specs : API 5L / ASTM A53 (BS-1387)
Origin : UAE, Oman, India



BUT-WELD PIPE FITTINGS (CS)

AVAILABLE IN CARBON

Size : 1/4" to 24"
Thickness : SCH 10/40/80
Specs : A 234 WPB, SA 403
Fittings : Tee, Reducing Tee, Cap, Eccentric & Concentric Reducers, Elbow
Origin : Thailand, Japan, China



BUT-WELD PIPE FITTINGS (SS)

AVAILABLE IN STAINLESS STEEL

Size : 1/4" to 24"
Thickness : SCH 10/40/80
Fittings : Tee, Reducing Tee, Cap, Eccentric & Concentric Reducers, Elbow
Origin : Taiwan, Europe, China



FORGED PIPE FITTING (CS)

AVAILABLE IN CARBON

Type : Threaded (NPT) & Socket Weld (SW)
Size : 1/8" to 4"
Pressure : 2000/3000/6000 PSI
Specs : A105
Fittings : Elbow, Tee, Cap, Plug, Nipple, Coupling (Socket), Bushing, Swage Nipple, Threadolet, Weldolet, Union and Reducing plug & Socket
Origin : Italy, France, Taiwan



FORGED PIPE FITTING (SS)

AVAILABLE IN STAINLESS STEEL


Type : Threaded (NPT) & Socket Weld (SW)
Size : 1/8" to 4"
Pressure : 2000/3000/6000 PSI
Specs : A182 (304/316)
Fittings : Elbow, Tee, Cap, Plug, Nipple, Coupling (Socket), Bushing, Swage Nipple, Threadolet, Weldolet, Union and Reducing plug & Socket
Origin : Italy, France, Taiwan



FLANGES (CS)

AVAILABLE IN CARBON

Size : 1/4" to 24"
Pressure : CL 150, CL 300, PN 10, PN 16, PN 25, PN 40
Specs : A105
Type : Slip-On (SORF), Weld Neck (WNRF), Blind (BLND), Thread/Screwed (THRD), JIS & Spectacle Blind
Origin : Italy, Spain, India, China



FLANGES (SS)

AVAILABLE IN STAINLESS STEEL

Size : 1/4" to 24"
Pressure : CL 150, CL 300, PN10, PN 16, PN 25, PN 40
Specs : A105, A182 (304/316) - A350 (FwdD)
Type : Slip-On (SORF), Weld Neck (WNRF), Blind (BLND), Thread/Screwed (THRD), JIS & Spectacle Blind
Origin : Italy, Spain, India, China



VALVES

AVAILABLE GATE, BALL, BUTTERFLY, CHECK, GLOBE, SAFETY & PRESSURE RELIEF VALVE

Size : 1/2" to 12"
Pressure : CL150 to CL800 & Up to 3000PSI
End : NPT Threaded, Socket Weld, Flanged
Material : Cast Iron, Cast Steel, Forged Steel & Stainless Steel, Brass/Bronze
Origin : USA, Singapore, India, China



GASKETS

AVAILABLE IN RAISED FACE, FLAT FACE, FULL & RING TYPE

Size : 1/2" to 24"
Standard : For ANSI B16.5 Flanges MSS SP
Type : Asbestos, Non-Asbestos, Graphite, Metallic, Rubber and Neoprene, High Temperature, Spiral Wound
Origin : USA, UAE, India, Italy, Uk, Norway



STRUCTURAL

Stainless : Sheets & Plates (A240, 304 & 316)

Mild Steel : Round Bar, Plate, Rod, Angle, Sheets Flat Bar, Channel & Tubes (S355, S235, S275, A36, S3400etc)

